HILLYARD The Cleaning Resource

SAFETY DATA SHEET

1. Identification

Product identifier MARINER

Other means of identification

SDS number 584N-070A Product code HIL00702

Recommended use Bathroom Cleaner
Recommended restrictions For Labeled Use Only
Manufacturer/importer/Supplier/Distributor information

Manufacturer

Company name HILLYARD INDUSTRIES
Address 302 North Fourth St.

St. Joseph, MO 64501

Contact person

Regulatory Affairs

Telephone number

(816) 233-1321 (Ext. 8285)

Fax

(816) 383-8485

E-mail

regulatoryaffairs@hillyard.com

Emergency telephone #

(800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident

involving chemicals)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Environmental hazards Ha

Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment,

Category 3

long-term hazard

OSHA defined hazards

Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Avoid release to the environment. Wear protective gloves/protective

clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Material name: MARINER

SDS US

Storage

Store locked up.

Disposal

545 28

Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.

E 3 30, 5 3 Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Do not get in eyes, on skin, or on clothing. Use With Adequate Ventilation. Avoid breathing vapors or spray mist. Open windows and doors, use exhaust fans or other means to insure fresh air entry during application and drying. Personal Protective Equipment: When there is a danger of contact with the concentrate, use chemical safety goggles, impervious gloves, and protective clothing. Do not take internally. Keep container closed when not in use.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PHOSPHORIC ACID		7664-38-2	10 - < 20
1-Butoxy-2-propanol		5131-66-8	5 - < 10
Citric Acid		77-92-9	5 - < 10
Alcohols (C12-15 In, Saturated) Ethoxylate	2	68131-39-5	3 - < 5
Alcohols, C9-11, Ethoxylated		68439-46-3	3 - < 5
Other components below reportable	levels		60 - < 70

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact

Ingestion

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

Most important symptoms/effects, acute and

delayed

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water. Should not be released into the environment. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product, recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Components	Type	. 1910.1000)	Value	8 0	7.5	
PHOSPHORIC ACID (CAS 7664-38-2)	PEL		1 mg/m3			19
US. ACGIH Threshold Limit Values Components	Туре		Value			
PHOSPHORIC ACID (CAS 7664-38-2)	STEL		3 mg/m3			
	TWA	2	1 mg/m3		11.00	
	1 7 7/2		Tillg/illo			-
US. NIOSH: Pocket Guide to Chem	nical Hazards					
Components	Type		Value			
PHOSPHORIC ACID (CAS 7664-38-2)	STEL		3 mg/m3		W _e	£.
					3.00	36
	TWA		1 mg/m3		100/01	

Biological limit values Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Use safety eyewear with splash guards or side shields, chemical goggles, or face shields.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Avoid contact with the skin. Impervious boots and aprons where splashing of concentrate is a problem; otherwise, use uniforms or coveralls.

SDS US

3/8

Sec. 2 . 2 . 4 1001 artistic and and the same

Material name: MARINER

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards

None known.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Clear, blue liquid

Physical state

Liquid.

Form

Liquid.

Color

Blue

Odor

Floral fragrance

Odor threshold

Not available

рΗ

< 2

Melting point/freezing point

Not applicable / Not available

Initial boiling point and boiling

211 °F (99.44 °C)

range

Flash point

> 200.0 °F (> 93.3 °C) Closed Cup

Evaporation rate

< 1 (ethyl ether = 1)

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

16.99 mm Hg

Vapor density

1.3225 AIR=1

Relative density

1.0904 at 77°F

Solubility(ies)

Solubility (water)

100 % Complete

Partition coefficient

Not available

(n-octanol/water)

Not available

Auto-ignition temperature Decomposition temperature

Not available

Viscosity

Not available

Other information

Density

9.08 lb/gal

Explosive properties

Not explosive.

Oxidizing properties

Not oxidizing.

Percent volatile

69 - 71 %

VOC

9.83 % Concentrate

10. Stability and reactivity

Reactivity

Reacts violently with strong alkaline substances. This product may react with reducing agents.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not mix with other

chemicals.

Incompatible materials

Bases. Reducing agents.

Hazardous decomposition

No hazardous decomposition products are known.

products

Material name: MARINER

SDS US

11. Toxicological information

Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Causes severe skin burns. Skin contact Causes serious eye damage. Eye contact

Causes digestive tract burns. Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

Test Results Species Components

PHOSPHORIC ACID (CAS 7664-38-2)

<u>Acute</u> Dermal

2740 mg/kg Rabbit LD50

Skin corrosion/irritation Serious eye damage/eye Causes severe skin burns and eye damage. Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure

Aspiration hazard Prolonged inhalation may be harmful. Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Because of the low pH of this **Ecotoxicity**

product, it would be expected to produce significant ecotoxicity upon exposure to aquatic

organisms and aquatic systems

Species Test Results Product MARINER Aquatic 16.4902 mg/l, 48 hours estimated Crustacea EC50 Daphnia LC50 Fish 28.8907 mg/l, 96 hours estimated Fish **Test Results** Components Species

Alcohols (C12-15 In, Saturated) Ethoxylate (CAS 68131-39-5)

Aquatic

Water flea (Ceriodaphnia dubia) 0.37 - 0.43 mg/l, 48 hours Crustacea EC50

SDS US Material name: MARINER

HIL00702 Version #: 04 Revision date: 07-05-2018 Issue date: 02-13-2015

5/8

Components Species **Test Results**

Fish LC50 Channel catfish (Ictalurus punctatus) 1.04 - 1.39 mg/l, 96 hours

Alcohols, C9-11, Ethoxylated (CAS 68439-46-3)

Aquatic

Crustacea

EC50

Water flea (Daphnia magna)

2.9 - 8.5 mg/l, 48 hours

Fish

LC50

Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the Disposal instructions

material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original

concentration or dilution) in violation of applicable law.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3264

UN proper shipping name

Transport hazard class(es)

Class Subsidiary risk

Label(s)

Packing group 111

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID)

Special provisions

IB3, T7, TP1, TP28

Packaging exceptions

154

Packaging non bulk

203

Packaging bulk

241

PACKAGES 1 GALLON AND SMALLER ARE SHIPPED LIMITED QUANTITY OR ORM-D

IATA

UN number

UN3264

UN proper shipping name Transport hazard class(es)

Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID)

Class

8

Subsidiary risk

Packing group **Environmental hazards** Ш No.

ERG Code

8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN3264 **UN** number

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID) UN proper shipping name

Transport hazard class(es)

Class

Subsidiary risk

Packing group Ш

Environmental hazards

No. Marine pollutant

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication US federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

PHOSPHORIC ACID (CAS 7664-38-2)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Acute toxicity (any route of exposure)

Classified hazard categories

Skin corrosion or irritation Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Material name: MARINER

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

PHOSPHORIC ACID (CAS 7664-38-2)

High priority

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

California Proposition 65

US; California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

PHOSPHORIC ACID (CAS 7664-38-2)

International Inventories

Country(s) or region

Inventory name

On inventory (yes/no)*

Canada

Domestic Substances List (DSL)

No No

Canada

Non-Domestic Substances List (NDSL)

Yes

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date .

02-13-2015

Revision date.

07-05-2018

Version # _____.

04

HMIS® ratings

Product :

Health: 3

Flammability: 0 Physical hazard: 0

Disclaimer

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.

Revision information

1-150

This document has undergone significant changes and should be reviewed in its entirety.

Material name: MARINER