#### KM00601 ETHANOL DENATURED ANHYDROUS 500ML **SDS No.:** EE0075 SAFETY DATA SHEET bXa

Section 1

**Chemical Product and Company Information** 



**CHEMTREC 24 Hour Emergency** Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

FLAMMABLE STORAGE CODE RED

# Product

## ETHYL ALCOHOL, DENATURED, ANHYDROUS

Synonyms

Denatured Alcohol / Ethyl Alcohol Anhydrous / Ethanol

# Section 2

## Hazards Identification

Signal word: DANGER

Pictograms: GHS02 / GHS06 / GHS07 / GHS08

Target organs: Eyes, Central nervous system, Liver, Kidneys.









#### **GHS Classification:**

Flammable liquid (Category 2) Acute toxicity, oral (Category 3) Acute toxicity, dermal (Category 3) Acute toxicity, inhalation (Category 3) Eye irritation (Category 2B) STOT-SE (Category 2) STOT-SE (Category 3)

# GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H319: Causes serious eye irritation,

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness,

H371: May cause damage to organs.

### Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233+P235: Keep container tightly closed. Keep cool.

P240: Ground/bond container and receiving equipment.

P241; Use explosion-proof electrical/ventilating/lighting equipment,

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260; Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310; IF SWALLOWED: Immediately call a POISON CENTER or doctor,

P305+P351+P338; IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P303+P361+P353; IF ON SKIN (or hair); Take off immediately all contaminated

dothing. Rinse skin with water/shower.

P304+P340; IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.

P312: Call a POISON CENTER or doctor if you feel unwell.

P337+P313: If eye irritation persists: Get medical attention.

P361+P364: Take off immediately all contaminated clothing and wash it before reuse. P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water

spray to extinguish.

P403+P405: Store in a well-ventilated place. Store locked up,

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3	Composition / Information on Ingredie	ıts -			
Chemical Name		AS#	**	EINECS	
Ethyl alcohol		34-17-5	90,4%	200-578-6	
Isopropyl alcohol		7-63-0	5.0%	200-861-7	
Methanol		7-56-1	4.5%	200-659-6	

# Section 4

# First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration, if breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush theroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated dothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention:

# Section 5

# Fire Fighting Measures

Sultable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

# Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways,

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash split area with soap and water.

# KM00601 ETHANOL DENATURED ANHYDROUS 500ML

Section 7

Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection NIOSH (REL) ACGIH (TLV) OSHA (PEL) Chemical Name Exposure Limits: TWA: 1000 ppm / 1900 mg/m<sup>3</sup> STEL: 1000 ppm / 1880 mg/m3(A3) TWA: 1000 ppm / 1900 mg/m<sup>2</sup> Ethanol

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator

Physical & Chemical Properties Section 9

Appearance: Clear, colorless figuid. Odor: Mild characteristic odor. Odor threshold: Data not available pH: Data not available.

Melting / Freezing point: -114°C (-173°F)° Boiling point: 78°C (172.4°F)

Flash point: 12.7°C (55°F) TCC

Evaporation rate ( Butyl acetate = 1): 4.1° Flammability (solid/gas): Data not available, Explosion limits: Lower/Upper: 3,3% / 19.0% Vapor pressure (mm Hg): 44,6 mm @ 20°C° Vapor density (Air = 1): 1.59"

Relative density (Specific gravity): 0.794°C @ 60°F

Solubility(ies): Soluble in water.

Partition coefficient: (n-octanol / water); Low Pow: -,32\*

Auto-ignition temperature: 363°C (685°F) Decomposition temperature: Data not available,

Viscosity: Data not available. Motecular formula: Mixture Molecular weight: Mixture

TPum Ethanoll

Section 10

Stability & Reactivity

Hazardous polymerization: Will not occur. Chemical stability: Stable Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Contact with acetyl chloride and a wide range of oxidizing agents may react violently. Vapors may form flammable mixtures with air.

Hazardous decomposition products: Oxides of carbon,

Section 11

Toxicological Information

Acute toxicity: Oral-rat LD50: 7060 mg/kg; Inhalation-rat LC50: 124.7 mg//4hours [Ethanol]

Skin corrosion/irritation: Skin-rabbit - Slight irritant. Serious eye damage/irritation: Eyes-rabbit - Severe irritant. Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified; Group 3; Not classifiable as to its carcinogenicity to humans, [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and imitation of the throat. Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, auphoria, nausea, vomiting, staggering gait and coma,

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: KQ6300000 [Ethanol]

**Ecological Information** 

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 10,800 mg//24 hours [Ethanol, 99.8% pure] Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg//growth rate [Ethanol, absolute]

Persistence and degradability: No data available Mobility In soll: No data available

Bioaccumulative potential: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: UN1170 Hazard class: 3

Shipping name: Ethanol Packing group: II

Reportable Quantity: 5,000 lbs (2270 kg) ERG Guide # 127

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

Section 15 Regulatory Information A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

WHMIS Classification RCRA code DSL NDSL TSCA CERLCA (RQ) Component D001 Listed Not listed B2, D2B Not listed Listed Ethanol U154 Listed Not listed B2, D15; D2A, D2B B2; D2B Listed 5,000 lbs. Methanol Listed Not listed Not listed Listed Not listed Isopropanol

Section 16 Additional Information

The information contained herein is furnished withou, warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completioness of information from all sources to essure proper use of frees materials and the safety and health of employees. NTP Initional Toxicology Pro-LARC International Agency for Research on Cancer, OSHA, Occupational Safety and Health Administration, STOT. Specific Target Organ Toxicity, SE. Single Exposure, RE. Repeated Exposure, ERG, Emergency Response Guidebook.

Supercedes: October 2, 2013 Revision Date: August 20, 2014